

Bresemann PROPERTY PLANT LIST: (Original list by Olive Dalin (19__); updated June 1991, Mary Fric

* Non-native species

Genus/Species	Common name(s)	Family
<i>Acer circinatum</i>	vine maple	<i>Aceraceae</i>
<i>Acer macrophyllum</i>	big-leafed maple	<i>Aceraceae</i>
<i>Sambucus racemosa var arborescens</i>	coast red elderberry	<i>Adoxaceae</i>
<i>Alisma plantago-aquatica</i>	water plantain	<i>Alismataceae</i>
<i>Heracleum lanatum</i>	cow parsnip	<i>Apiaceae</i>
<i>Lomatium utriculatum</i>	spring gold	<i>Apiaceae</i>
<i>Osmorhiza chilensis</i>	sweet cicely	<i>Apiaceae</i>
<i>Sanicula crassicaulis</i>	Pacific sanicle	<i>Apiaceae</i>
<i>Apocynum androsaemifolium</i>	dogbane	<i>Apocynaceae</i>
<i>Vinca minor</i> *	common periwinkle	<i>Apocynaceae</i>
<i>Ilex aquifolium</i> *	English holly	<i>Aquifoliaceae</i>
<i>Lysichiton americanum</i>	western skunk cabbage, swamp lantern	<i>Araceae</i>
<i>Hedra helix</i> *	English ivy	<i>Araliaceae</i>
<i>Asarum caudatum</i>	wild ginger	<i>Aristolochiaceae</i>
<i>Achillea millefolium</i>	common yarrow	<i>Asteraceae</i>
<i>Adenocaulon bicolor</i>	path finder, trail plant	<i>Asteraceae</i>
<i>Anaphalis margaritacea</i>	pearly everlasting	<i>Asteraceae</i>
<i>Arctium minus</i> *	common burdock	<i>Asteraceae</i>
<i>Bellis perennis</i> *	English daisy	<i>Asteraceae</i>
<i>Bidens frondosa</i>	devil's beggarticks, leafy beggarticks	<i>Asteraceae</i>
<i>Chrysanthemum leucanthemum</i> *	oxeye daisy	<i>Asteraceae</i>
<i>Cirsium vulgare</i> *	bull thistle	<i>Asteraceae</i>
<i>Crepis capillaries</i> *	hawksbeard	<i>Asteraceae</i>
<i>Hypochaeris radicata</i> *	hairy cat's ear, false dandelion	<i>Asteraceae</i>
<i>Lactuca muralis</i> *	wall lettuce	<i>Asteraceae</i>
<i>Lactuca serriola</i> *	prickly lettuce	<i>Asteraceae</i>
<i>Lapsana communis</i> *	nipplewort	<i>Asteraceae</i>
<i>Senecio jacobaea</i> *	tansy ragwort	<i>Asteraceae</i>
<i>Senecio vulgaris</i> *	common groundsel	<i>Asteraceae</i>
<i>Solidago lepida (canadensis)</i>	western Canada goldenrod	<i>Asteraceae</i>
<i>Taraxacum officinale</i> *	common dandelion	<i>Asteraceae</i>
<i>Achlys triphylla (A. californica)</i>	Vanilla leaf	<i>Berberidaceae</i>
<i>Berberis aquifolium (Mahonia aquifolium)</i>	tall Oregon-grape, shining Oregon-grape	<i>Berberidaceae</i>
<i>Berberis nervosa (Mahonia nervosa)</i>	dull Oregon-grape	<i>Berberidaceae</i>
<i>Alnus rubra</i>	red alder	<i>Betulaceae</i>
<i>Corylus cornuta</i>	beaked hazelnut	<i>Betulaceae</i>
<i>Myosotis scorpioides</i> *	water forget-me-not	<i>Boraginaceae</i>
<i>Barbarea verna</i> *	early winter cress	<i>Brassicaceae</i>
<i>Brassica campestris</i> *	field mustard	<i>Brassicaceae</i>
<i>Brassica nigra</i> *	black mustard	<i>Brassicaceae</i>
<i>Capsella bursa-pastoris</i> *	shepherd's purse	<i>Brassicaceae</i>
<i>Cardamine hirsute</i> *	hairy bittercress	<i>Brassicaceae</i>
<i>Rorippa nasturtium-aquaticum</i> *	water cress	<i>Brassicaceae</i>
<i>Sisymbrium officinale</i> *	hedge mustard	<i>Brassicaceae</i>

<i>Campanula rotundifolia</i>	bluebell bellflower, harebell	<i>Campanulaceae</i>
<i>Campanula scouleri</i>	pale bluebell	<i>Campanulaceae</i>
<i>Linnaea borealis</i> spp <i>longiflora</i>	Western twinflower	<i>Caprifoliaceae</i>
<i>Lonicera ciliosa</i>	orange honeysuckle, Western trumpet h	<i>Caprifoliaceae</i>
<i>Lonicera hispidula</i>	hairy honeysuckle	<i>Caprifoliaceae</i>
<i>Lonicera involucrata</i>	twinberry honeysuckle, black twinberry	<i>Caprifoliaceae</i>
<i>Sambucus racemosa</i>	red elderberry	<i>Caprifoliaceae</i>
<i>Symphoricarpos albus</i> var var. <i>Laevi</i>	common snowberry	<i>Caprifoliaceae</i>
<i>Symphoricarpos hesperius</i>	creeping snowberry	<i>Caprifoliaceae</i>
<i>Cerastium arvense</i>	field chickweed	<i>Carophyllaceae</i>
<i>Moehringia macrophylla</i>	large-leaf sandwort	<i>Carophyllaceae</i>
<i>Stellaria media</i> *	common chickweed	<i>Carophyllaceae</i>
<i>Paxistima myrsinites</i>	Oregon boxleaf, Oregon boxwood	<i>Celastraceae</i>
<i>Chenopodium album</i> *	goosefoot, lamb's quarters	<i>Chenopodiaceae</i>
<i>Calystegia sepium</i> *(<i>Convolvulus sep</i>	hedge bindweed	<i>Convolvulaceae</i>
<i>Cornus nuttallii</i>	Pacific dogwood	<i>Cornaceae</i>
<i>Cornus sericea</i> spp <i>occidentalis</i>	red-osier dogwood, redberry dogwood	<i>Cornaceae</i>
<i>Thuja plicata</i>	western red cedar	<i>Cupressaceae</i>
<i>Carex inops</i>	long-stolen sedge	<i>Cyperaceae</i>
<i>Carex leptopoda</i>	small footed sedge	<i>Cyperaceae</i>
<i>Carex stipata</i>	sawbeak sedge	<i>Cyperaceae</i>
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken fern	<i>Dennstaedtiaceae</i>
<i>Athyrium filix-femina</i> var. <i>cyclosoru</i>	common lady fern, northern lady fern	<i>Dryopteridaceae</i>
<i>Polystichum munitum</i>	western sword fern	<i>Dryopteridaceae</i>
<i>Arctostaphylos uva-ursi</i>	kinnikinnick, red bearberry	<i>Ericaceae</i>
<i>Chimaphila umbellatum</i>	pipsissewa	<i>Ericaceae</i>
<i>Gaultheria shallon</i>	salal	<i>Ericaceae</i>
<i>Monotropa uniflora</i>	Indian pipe	<i>Ericaceae</i>
<i>Vaccinium ovatum</i>	evergreen huckleberry	<i>Ericaceae</i>
<i>Vaccinium parvifolium</i>	red huckleberry	<i>Ericaceae</i>
<i>Cytisus scoparius</i> var. <i>s</i> *	Scot's broom, Scotch broom	<i>Fabaceae</i>
<i>Lathyrus nevadensis</i>	Sierra pea, Cusick's pea	<i>Fabaceae</i>
<i>Lathyrus polyphyllus</i>	leafy pea, purple peavine	<i>Fabaceae</i>
<i>Lupinus rivularis</i>	river-bank lupine, stream lupine	<i>Fabaceae</i>
<i>Trifolium dubium</i> *	suckling clover, small hop clover	<i>Fabaceae</i>
<i>Trifolium pratense</i> *	red clover	<i>Fabaceae</i>
<i>Trifolium repens</i> *	white clover	<i>Fabaceae</i>
<i>Vicia cracca</i> *	bird vetch	<i>Fabaceae</i>
<i>Quercus garrayana</i>	Oregon white oak, garry oak	<i>Fagaceae</i>
<i>Dicentra formosa</i> spp <i>formosa</i>	Pacific bleeding heart	<i>Fumariaceae</i>
<i>Geranium molle</i> *	dovefoot geranium	<i>Geraniaceae</i>
<i>Geranium robertianum</i> *	herb Robert, stinky Bob	<i>Geraniaceae</i>
<i>Ribes divaricatum</i>	coast black gooseberry, spreading goose	<i>Grossulariaceae</i>
<i>Ribes lacustre</i>	swamp gooseberry, prickly currant	<i>Grossulariaceae</i>
<i>Ribes sanguineum</i>	red flowering currant	<i>Grossulariaceae</i>
<i>Hydrophyllum tenuipes</i>	Pacific waterleaf	<i>Hydrophyllaceae</i>
<i>Nemophila parviflora</i>	small flowered nemophila	<i>Hydrophyllaceae</i>

<i>Hypericum perforatum</i> *	common St. John's wort	Hypericaceae
<i>Iris pseudacorus</i> *	yellow flag iris	Iridaceae
<i>Glechoma hederacea</i> *	creeping charlie	Lamiaceae (Labiatae)
<i>Lamium purpureum</i> *	red dead-nettle, purple archangel	Lamiaceae (Labiatae)
<i>Lamiumstrum galeobdolon</i> *	yellow archangel	Lamiaceae (Labiatae)
<i>Mentha arvensis</i>	field mint	Lamiaceae (Labiatae)
<i>Mentha spicata</i> *	spearmint	Lamiaceae (Labiatae)
<i>Prunella vulgaris var. elongata</i>	self-heal	Lamiaceae (Labiatae)
<i>Satureja douglasii</i>	yerba buena	Lamiaceae (Labiatae)
<i>Stachys chamissonis var coolaeye</i>	Cooley's hedge nettle	Lamiaceae (Labiatae)
<i>Lemna minor</i>	small duckweed, common duckweed	Lemnaceae
<i>Brodiaea coronaria</i>	harvest lily, harvest brodiaea	Liliaceae
<i>Camassia quamash</i>	blue camas	Liliaceae
<i>Erythronium oregonum</i>	giant white fawn lily, Oregon fawn lily	Liliaceae
<i>Fritillaria affinis (lanceolata)</i>	chocolate lily, checker lily	Liliaceae
<i>Lilium columbianum</i>	Columbia lily	Liliaceae
<i>Maianthemum dilatatum</i>	wild lily-of-the-valley, false lily-of-the-v	Liliaceae
<i>Maianthemum racemosum spp ampl</i>	plumed solomon's seal, western Solomo	Liliaceae
<i>Maianthemum stellatum</i>	star-flowered Solomon's-seal	Liliaceae
<i>Prosartes hookerii</i>	Hooker's fairybell	Liliaceae
<i>Prosartes smithii</i>	Smith's fairy bell	Liliaceae
<i>Trillium ovatum</i>	western trillium	Liliaceae
<i>Trientalis latifolia</i>	western star-flower	Myrsinaceae
<i>Nuphar polysepala</i>	spatterdock, yellow water lily	Nymphaeaceae
<i>Nymphaea odorata</i> *	fragrant, water lily	Nymphaeaceae
<i>Fraxinus latifolia</i>	Oregon ash	Oleaceae
<i>Circea alpina</i>	enchanters nightshade	Onagraceae
<i>Chamerion angustifolium</i>	fireweed	Onagraceae
<i>Calypso bulbosa</i>	Calypso orchid; fairy-slipper	Orchidaceae
<i>Corallorhiza maculata</i>	spotted coralroot	Orchidaceae
<i>Corallorhiza striata</i>	striped coralroot	Orchidaceae
<i>Goodyear oblongifolia</i>	evergreen orchid, rattlesnake plantain	Orchidaceae
<i>Plantago lanceolata</i> *	black plantain	Plantaginaceae
<i>Plantago major</i> *	common plantain, nippleseed	Plantaginaceae
<i>Pseudotsuga menziesii</i>	Douglas-fir	Pinaceae
<i>Tsuga heterophylla</i>	western hemlock	Pinaceae
<i>Dactylis glomerata</i> *	orchardgrass	Poaceae
<i>Holcus lanatus</i> *	common velvet grass	Poaceae
<i>Festuca spp.*</i>	fescue	Poaceae
<i>Phalaris arundinacea</i> *	reed canarygrass	Poaceae
<i>Fallopia convolvulus</i> *	black bindweed	Polygonaceae
<i>Persicaria maculosa</i> *	spotted lady's thumb, smartweed	Polygonaceae
<i>Polygonum cuspidatum</i> *	Japanese knotweed	Polygonaceae
<i>Rumex acetosella</i> *	sheep sorrel, sour grass	Polygonaceae
<i>Rumex obtusifolius</i>	Bitter dock, broad-leafed dock	Polygonaceae
<i>Polypodium glycyrrhiza</i>	licorice fern	Polypodiaceae

<i>Claytonia perfoliata</i>	miner's lettuce	<i>Portulacaceae</i>
<i>Claytonia sibirica</i>	Siberian miner's lettuce, candy flower	<i>Portulacaceae</i>
<i>Adiantum aleuticum</i>	maidenhair fern	<i>Pteridaceae</i>
<i>Actaea rubra</i>	western red baneberry, baneberry	<i>Ranunculaceae</i>
<i>Ranunculus aquatilis</i>	white water buttercup	<i>Ranunculaceae</i>
<i>Ranunculus occidentalis</i>	western buttercup, prairie buttercup	<i>Ranunculaceae</i>
<i>Ranunculus repens</i> *	creeping buttercup	<i>Ranunculaceae</i>
<i>Ranunculus uncinatus</i>	woodland buttercup, little buttercup	<i>Ranunculaceae</i>
<i>Ceanothus sanguineus</i>	redstem ceanothus, Oregon teatree	<i>Rhamnaceae</i>
<i>Rhamnus purshiana</i>	cascara	<i>Rhamnaceae</i>
<i>Amelanchier alnifolia</i>	western serviceberry, saskatoon	<i>Rosaceae</i>
<i>Comarum palustre</i>	marsh cinquefoil	<i>Rosaceae</i>
<i>Crataegus monogyna</i> *	one-seed hawthorn, common hawthorn	<i>Rosaceae</i>
<i>Fragaria vesca</i>	woods strawberry	<i>Rosaceae</i>
<i>Fragaria virginiana var glauca</i>	blueleaf strawberry	<i>Rosaceae</i>
<i>Geum macrophyllum</i>	Oregon avens	<i>Rosaceae</i>
<i>Holodiscus discolor</i>	ocean-spray	<i>Rosaceae</i>
<i>Oemleria cerasiformis</i>	Indian plum	<i>Rosaceae</i>
<i>Physocarpus capitatus</i>	Pacific ninebark	<i>Rosaceae</i>
<i>Prunus avium</i> *	cultivated cherry, bird cherry	<i>Rosaceae</i>
<i>Prunus emarginata var mollis</i>	bittercherry	<i>Rosaceae</i>
<i>Rosa eglanteria</i> *	sweetbrier rose	<i>Rosaceae</i>
<i>Rosa gymnocarpa</i>	baldhip rose	<i>Rosaceae</i>
<i>Rosa nutkana</i>	Nootka rose	<i>Rosaceae</i>
<i>Rubus bifrons (armeniacus)</i> *	Himalayan blackberry	<i>Rosaceae</i>
<i>Rubus laciniatus</i>	evergreen blackberry	<i>Rosaceae</i>
<i>Rubus leucodermis</i>	white bark raspberry, blackcap raspberry	<i>Rosaceae</i>
<i>Rubus parviflorus</i>	thimbleberry	<i>Rosaceae</i>
<i>Rubus ursinus</i>	creeping blackberry, dewberry, pacific blackberry	<i>Rosaceae</i>
<i>Sorbus acuparia</i> *	European mountain ash	<i>Rosaceae</i>
<i>Spiraea douglasii</i>	spirea, hardhack	<i>Rosaceae</i>
<i>Galium aparine</i>	cleavers, common bedstraw	<i>Rubiaceae</i>
<i>Galium triflorum</i>	fragrant bedstraw	<i>Rubiaceae</i>
<i>Salix babylonica</i> *	weeping willow	<i>Salicaceae</i>
<i>Salix spp.</i>	willow	<i>Salicaceae</i>
<i>Salix lasiandra</i>	Pacific willow	<i>Salicaceae</i>
<i>Populus balsamifera spp, trichocarp</i>	black cottonwood, balsam poplar	<i>Salicaceae</i>
<i>Aesculus hippocastanum</i> *	horse chestnut, conkers	<i>Sapindaceae</i>
<i>Tellima grandiflora</i>	fringe cup	<i>Saxifragaceae</i>
<i>Tiarella trifoliata var t.</i>	three-leaf foamflower	<i>Saxifragaceae</i>
<i>Tolmiea menziesii</i>	youth-on-age, piggyback plant	<i>Saxifragaceae</i>
<i>Digitalis purpurea</i> *	purple foxglove	<i>Scrophulariaceae</i>
<i>Mimulus guttatus</i>	monkey flower	<i>Scrophulariaceae</i>
<i>Veronica arvensis</i> *	wall speedwell	<i>Scrophulariaceae</i>
<i>Veronica serpyllifolia</i>	thyme-leaf speedwell	<i>Scrophulariaceae</i>
<i>Solanum dulcamara</i> *	bittersweet nightshade	<i>Solanaceae</i>
<i>Taxus brevifolia</i>	Pacific yew, western yew	<i>Taxaceae</i>

<i>Urtica dioica</i> ssp. <i>gracilis</i> var <i>lyalli</i>	stinging nettle	<i>Urticaceae</i>
<i>Viola adunca</i>	early blue violet	<i>Violaceae</i>
<i>Viola glabella</i>	pioneer violet, yellow stream violet	<i>Violaceae</i>
<i>Viola nuttallii</i>	hairy or Nuttall's violet	<i>Violaceae</i>
<i>Viola sempervirens</i>	evergreen violet	<i>Violaceae</i>

es; updated 2004, Mary Sue Gee, updated 2011 Bill Brookreson, Catherine Hovanic, Fred Stark, Ben Cod

ly.